

“My life has depended upon my being able to accurately fire my weapon in almost total darkness. Not having to worry about seeing the ‘dot’ is a benefit only appreciated by those of us who have been in a no/low-light altercation. Thank you.”

M. Sanders
Tennessee

Trijicon® Reflex Series



When you're in the field, it's you, your weapon and your Reflex. With its wide peripheral view, the Trijicon® Reflex helps you quickly engage and lock onto moving targets, providing speed and precision for critical situations. It's the precise advantage you need.

AGILE

Dual-illuminated and parallax free, Trijicon Reflex offers increased field-of-view capabilities that provide fast, both-eyes-open target acquisition and accurate aiming for the military, law enforcement and hunting enthusiasts.

The RX30 Reflex sight features a 42mm, clear-aperture lens for a generous field-of-view and a large sight picture. It allows you to move the firearm freely and remain on target at multiple shooting angles when surveying an area. As a result, the Reflex is considered by

many marksmen to be the fastest and most user-friendly sight in the field — any field.

Allowing accurate both-eyes-open shooting that expands peripheral view, this advanced sight provides a critical advantage when you're aiming on the move, in low-light situations, or even in darkness.

VERSATILE

With the Reflex, a glowing tritium lamp ensures a bright amber reticle at night or in low-light conditions, while advanced fiber optics deliver ambient light to the aiming point during the day. A multi-layer dichroic-mirrored lens delivers wide-band light transmission.

And, adjustments for windage and elevation further improve accuracy.

Reflex is available with three reticle options to match your shooting requirements: one triangle and two different size dots.

DEPENDABLE

Nearly indestructible, the Reflex features a military-grade housing that's investment cast from aircraft aluminum alloy and hard-coat anodized. Tested to military standards, the sight stands up to, and performs under, the most extreme environmental conditions. Batteries? None needed; it's totally battery free.



Model RX01NSN
1x24



Model RX30
1x42



Trijicon® Reflex

Model RX01



Model RX01NSN



Model RX06-10



Trijicon Fiber Optics

Automatically adjusts the brightness level and contrast of the reticles to available light conditions.

Trijicon Tritium-Phosphor Lamp

Aiming reticle glows in low-light conditions for quick target acquisition. Lamp is guaranteed to illuminate up to 15 years.

Adjustable Elevation

Military-Grade Aluminum-Alloy Housing
Investment Cast aircraft-aluminum-alloy housing provides for a nearly indestructible sighting system.

Trijicon Reflex Provides a True-Color Multi-Coated Lens
Creates wide-band light transmission.

Model RX30-23
1x42




Adjustable Windage

Limited Lifetime Warranty




Trijicon® Reflex Reticle Options:

Triangle and two different Dots – to match your specific shooting requirements.




4.5 MOA

- RX01NSN
- RX34



6.5 MOA

- RX01
- RX30



14.9 MOA

- RX06

Trijicon® Reflex Model Specifications



Model	RX01	RX01NSN	RX06	RX30	RX30A-51	RX34	RX34A-51
Description	Reflex with 6.5 MOA Amber Dot Reticle (without mount)	Reflex 4.5 MOA Amber Dot, with flattop adapter, polarizing filter and dust cover	Reflex with 12.9 MOA Amber Triangle Reticle (without mount)	Reflex with 6.5 MOA Amber Dot Reticle (without mount)	Reflex with 6.5 MOA Amber Dot Reticle with ACOG base / TA51 mount	Reflex with 4.5 MOA Amber Dot Reticle (without mount)	Reflex with 4.5 MOA Amber Dot Reticle with ACOG base / TA51 mount
Magnification	1x	1x	1x	1x	1x	1x	1x
Objective Size	24mm	24mm	24mm	42mm	42mm	42mm	42mm
Reticle Dimension	6.5 MOA	4.5 MOA	12.9 MOA	6.5 MOA	6.5 MOA	4.5 MOA	4.5 MOA
Reticle Option	Dot	Dot	Triangle	Dot	Dot	Dot	Dot
Length	4.25 in.	4.9 in.	4.25 in.	4.9 in.	4.9 in.	4.9 in.	4.9 in.
Width	1.35 in.	1.3 in.	1.35 in.	2.1 in.	2.1 in.	2.1 in.	2.1 in.
Height	1.65 in.	2.3 in. from top of 1913 rail	1.65 in.	2.2 in.	2.6 in. from top of 1913 rail	2.2 in.	2.6 in. from top of 1913 rail
Weight	4.2 oz.	9.2 oz.	4.2 oz.	7.6 oz.	12.2 oz.	7.6 oz.	12.2 oz.
							

Trijicon® Reflex

1x24 Model #	Description
RX01	Reflex with 6.5 MOA Amber Dot (without mount)
RX01-10	RX01 with M16 Handle Mount
RX01-11	RX01 with Weaver Mount
RX01-14	RX01 with Flattop Mount
RX01-17	RX01 with H&K Mount
RX01-23	RX01 with A.R.M.S.® #15 Throw Lever Flattop Mount
RX01-25	RX01 with M16 / AR15 Top of Handle Mount
RX01NSN	Reflex with 4.5 MOA Amber Dot, with Flattop Adapter, Polarizing Filter and Dust Cover
RX06	Reflex 12.9 MOA Amber Triangle Reticle (without mount)
RX06-10	RX06 with M16 Handle Mount
RX06-11	RX06 with Weaver Mount
RX06-14	RX06 with Flattop Mount
RX06-17	RX06 with H&K Mount
RX06-23	RX06 with A.R.M.S.® #15 Throw Lever Mount
RX06-25	RX06 with M16 / AR15 Top of Handle Mount

1x42 Model #	Description
RX30	42mm Reflex Amber 6.5 MOA Dot Reticle (without mount)
RX30-11	RX30 with Weaver Mount
RX30-14	RX30 with Flattop Mount
RX30-17	RX30 with H&K Mount
RX30-23	RX30 with A.R.M.S.® #15 Throw Lever Flattop Mount
RX30-25	RX30 with M16 / AR15 Top of Handle Mount
RX30A-51	RX30A with TA51 Flattop Mount
RX34	42mm Reflex Amber 4.5 MOA Dot Reticle (without mount)
RX34-11	42mm Reflex Amber 4.5 MOA Dot Reticle (with weaver mount)
RX34-14	42mm Reflex Amber 4.5 MOA Dot Reticle (with Flattop mount)
RX34-17	42mm Reflex Amber 4.5 MOA Dot Reticle (with H&K mount)
RX34-23	RX34 w/ A.R.M.S.® #15 Throw Lever Flattop / Weaver mount
RX34-25	42mm Reflex Amber 4.5 MOA Dot Reticle (with carryhandle mount)
RX34A-51	42mm Reflex Amber 4.5 MOA Dot Reticle w/ TA51 Flattop Mount

